

Verre feuilleté de sécurité Safety laminated glass



Sortie de métro / Underground Egress (Fosterite)
Bilbao, Espagne / Spain 1996
Architecte / Architect: Norman Foster & Partners

Verre feuilleté de sécurité / Safety laminated glass

Définition

L'architecture contemporaine et la décoration intérieure moderne s'intéressent de plus en plus aux nouveaux matériaux performants qui répondent aux exigences esthétiques et de sécurité les plus récentes.

Le verre feuilleté de sécurité allie la beauté et la modernité du verre bombé à la sécurité et à la technologie du verre feuilleté PVB.


Le verre feuilleté de sécurité est composé d'au moins deux parties de verre bombé sur des feuilles de PVB, ce qui permet de maintenir l'unité de l'ensemble en cas de rupture.

Definition

Contemporary architecture and modern interior design are increasingly more interested in new high performance materials which meet up-to-date security and aesthetic requirements.

Safety laminated glass combines the beauty and contemporary feel of curved glass with the safety and high performance of PVB laminated glass.

Safety laminated glass is made of at least two parts of curved safety glass onto layers of PVB, which would hold the piece together in case of breakage.



Verre de sécurité / Safety glass





Caves / Bodegas Protos,
Penafiel 2008
Architecte / Architect: Rogers Stirk Harbour + Partners
Alonso, Balaguer y Arq. Associés

Verre feuilleté de sécurité / Safety laminated glass

Dimensions / Dimensions

Pour de plus grandes dimensions, veuillez contacter Cricursa / For larger dimensions, please contact Cricursa

Flèche maximum
Maximum height of rise



10000 mm / 394"

Dimensions minimales
Minimun dimensions

400 mm / 16"



400 mm / 16"

3200 mm / 126"



Verre de sécurité / Safety glass

Certifications / Certifications

Référence produit Product reference	Catégorie Category	Épaisseur Thickness	Poids Weight
Crisunid 68	P1A	7 mm	15 kg/m ²
Crisunid 88	P2A	9 mm	20 kg/m ²
Crisunid 108	P2A	11 mm	25 kg/m ²
Crisunid 128	P2A	13 mm	31 kg/m ²
Crisunid 129 C	P3A	13 mm	31 kg/m ²
Crisunid 95	P4A	10 mm	21 kg/m ²
Crisunid 135	P4A	14 mm	32 kg/m ²
Crisunid 103	P5A	11 mm	22 kg/m ²
Crisunid 200	P6B	19 mm	45 kg/m ²
Crisunid 225	P6B	23 mm	49 kg/m ²
Crisunid 256	P7B	26 mm	53 kg/m ²